



Year: 2019 – 2020	Subject: Obstetrics& Gynecology Medicine (Med322)
Specialty: Obstetrics Nursing	3 rd year "Undergraduate"
Date: 13/1/2020	Total Marks: 50 Marks
Time allowed : 2 hours	Prof. Mohammad Hafez

Answer the following questions:

Question no (1): Choose the correct answer (10 marks)

1. Which is the last frequent site of an ectopic pregnancy?
 - a. Fallopian tube.
 - b. Cervix.
 - c. Ovary.
 - d. Abdominal cavity.
 - e. Between the leaves of broad ligament.
2. The most dangerous symptom during pregnancy is...
 - a. PV bleeding.
 - b. Ankle swelling.
 - c. Hyperemesis.
 - d. Cramps.
3. Placenta previa all true except
 - a. Shock out of proportion of bleeding.
 - b. Malpresentations.
 - c. Head not engaged.
 - d. Painless bleeding.
4. Most important cause of immediate postpartum hemorrhage
 - a. Laceration of cervix.
 - b. Laceration of vagina.
 - c. Uterine atony.
 - d. Placental fragment retention.
5. All of the following are indicated for CS in OP except.
 - a. Persistent oblique OP.
 - b. Long anterior rotation.
 - c. Deep transverse arrest.
 - d. Contracted pelvis.



-
6. Mean age for menopause.
 - a. 40 years.
 - b. 45 years.
 - c. 51 years.
 - d. 48 years.
 - e. 39 years.

 7. Second degree uterovaginal prolapse is characterized by.
 - a. Complete protrusion of uterus outside introitus.
 - b. Descent of genital tract within vagina.
 - c. Descent of genital tract up to introitus.
 - d. Descent of genital outside introitus.
 - e. Descent of cervix below the ischial spines.

 8. Menarche usually occurs at age of
 - a. 8 and 10 years.
 - b. 11 and 13 years.
 - c. 14 and 16 years.
 - d. 17 and 18 years.
 - e. 18 and above.

 9. Which of the following is used to take cervical smear?
 - a. Colposcope.
 - b. Vaginoscope.
 - c. Ayre's spatula.
 - d. Laparoscope.
 - e. Forceps.

 10. Main uterine support is:
 - a. Uterosacral ligament.
 - b. Round ligament.
 - c. Transverse cervical ligament.
 - d. Ovarian ligament.
 - e. Broad ligament.



Question no (2): Read the following statements and put True or False (10 marks)

1. Menopause is the last menstrual period and is considered to have occurred after 6 months to 1 year of amenorrhea. ()
2. Endometriosis is ectopic endometrium. ()
3. Pelvic inflammatory disease is infection of the upper female genital tract. ()
4. Stress incontinence is involuntary escape of urine on raising the intra-abdominal pressure. ()
5. Primary infertility is inability to conceive after 1 year of continuous marital life without the use of contraception. ()
6. Bacteriuria of pregnancy presence of 100000 or more bacteria per ml of urine into freshly voided midstream specimen of urine. ()
7. Habitual abortion is diagnosed with the occurrence of 3 or more successive spontaneous abortions. ()
8. Polyhydramnios is excessive amount of amniotic fluid. ()
9. Retained placenta is failure of expulsion of placenta for 30 minutes after delivery of the fetus. ()
10. Postpartum hemorrhage is excessive bleeding during or after the third stage of labor. ()

Question no (3): Give short note on: (12 marks)

1. Detection of ovulation.
2. Contraindications of oral contraceptive pills.
3. Management of third stage of labor.
4. Criteria suggestive of severity of preeclampsia.



Question no (4) answer the following cases: (18 marks)

1. Mrs. salwa 24 years old G2 P1+0 twins 38 weeks referred to our hospital from elective CS after delivery there is excessive blood loss, hypotension, tachycardia, irritability after that the patient managed by proper line of treating.
 - a. What is the probable diagnosis of this case?
 - b. Role of nursing care in this case.
 - c. What is the complication of this case?

2. Mrs. Hanaa 32 years old P1+0 complaining of heavy menstruation from 6 months by ultrasound refers to multiple interstitial fibroma 30*20 mm and sub mucus fibroid BP 120/80 pulse 88 temp 37c.
 - a. Complication of fibroid.
 - b. Effect of sub mucus fibroid in infertility.
 - c. Medical management of fibroid.

Good luck

Dr. Mohammad Hafez